

## Transforming COPD Care in Tertiary Settings: The Role of Telerehabilitation

Simaporn Promsarn, B.Sc.<sup>1</sup>, Pairoj Suraprapapich, PT., M.Sc.<sup>2</sup>, Rattanapond Pankratuk, B.Sc.<sup>1</sup>, Wilawan Ketpan, B.N.S.<sup>3</sup>

<sup>1</sup>Pulmonary Function Test Unit, Department of Medicine, Faculty of Medicine Siriraj Hospital, Mahidol University, Bangkok 10700, Thailand

<sup>2</sup>Division of Physical Therapy, Faculty of Physical Therapy, Mahidol University, Nakhon Pathom 73170, Thailand

<sup>3</sup>Nursing Department, Faculty of Medicine Siriraj Hospital, Mahidol University, Bangkok 10700, Thailand

Received 14 September 2023 • Revised 16 October 2023 • Accepted 1 November 2023 • Published online 1 January 2024

### Abstract:

Telerehabilitation holds promise as an innovative and underrecognized approach for managing chronic obstructive pulmonary disease (COPD) patients within tertiary care settings. This paper aims to shed light on the potential of telerehabilitation as a management strategy for COPD patients who often face challenges accessing traditional rehabilitation methods. Through a comprehensive review of recent academic literature, this study explores the benefits, challenges, and future prospects of implementing telerehabilitation within tertiary care contexts. Telerehabilitation, characterized by remote exercise interventions, monitoring, education, and patient support, has demonstrated positive outcomes in terms of exercise capacity enhancement, symptom alleviation, and improved quality of life for COPD patients. Despite these potential advantages, the implementation of telerehabilitation faces challenges such as patient engagement, technological proficiency, and data security concerns. Real-world case studies highlight successful instances of telerehabilitation deployment in tertiary care, underscoring its practical viability. In light of the ongoing transformation of healthcare delivery, telerehabilitation emerges as an essential tool to address the underrecognized management needs of COPD patients in tertiary care settings. This paper advocates for further research, collaboration between healthcare providers and policy makers, and the integration of telerehabilitation into comprehensive COPD management strategies. By recognizing telerehabilitation's potential and overcoming implementation barriers, the healthcare community can ensure equitable access to rehabilitation services, thereby improving patient outcomes in the tertiary care setting.

**Keywords:** Telerehabilitation, Chronic obstructive pulmonary disease, COPD, Tertiary care, Remote rehabilitation, Patient management

## Introduction

Chronic obstructive pulmonary disease (COPD) is a prevalent and debilitating respiratory condition characterized by progressive airflow limitation and impaired lung function.<sup>1</sup> Traditional rehabilitation approaches have often focused on in-person interventions, such as pulmonary rehabilitation programs conducted within healthcare facilities.<sup>2</sup> However, the emergence of telerehabilitation as an innovative management strategy holds significant promise, particularly for patients with severe COPD who face challenges in accessing traditional rehabilitation centers.<sup>3-4</sup> Telerehabilitation, a form of remote healthcare delivery, involves the use of digital communication technologies to enable the provision of rehabilitation services to patients within the comfort of their homes.<sup>5</sup> In the context of COPD management, telerehabilitation presents an underrecognized and potentially transformative approach, offering solutions to the limitations of conventional care and rehabilitation methods.

While conventional pulmonary rehabilitation has shown benefits in terms of improving exercise tolerance, functional capacity, and quality of life in COPD patients<sup>6-7</sup>, the reach and accessibility of such programs remain limited, particularly for patients residing in remote or underserved areas.<sup>8</sup> Telerehabilitation, however, has the potential to bridge this gap by providing COPD patients with a viable alternative that can be tailored to their individual needs and circumstances.<sup>9</sup> Moreover, the growing body of evidence suggests that telerehabilitation can offer benefits similar to traditional rehabilitation, including improvements in exercise capacity, functional dyspnea, and quality of life.<sup>10</sup> The exploration of underrecognized approaches like telerehabilitation is therefore essential to

expand the scope of COPD management options and enhance patient outcomes.<sup>3,11</sup>

The primary objective of this paper is to shed light on the concept of telerehabilitation as an underrecognized management approach for COPD patients in tertiary care settings. By delving into the existing literature, this paper aims to provide a comprehensive overview of the efficacy, feasibility, and potential benefits of telerehabilitation interventions for COPD patients.<sup>12-13</sup> Furthermore, the paper will critically assess the challenges, limitations, and considerations associated with the implementation of telerehabilitation in the context of COPD management.<sup>14-15</sup> By synthesizing evidence from a diverse range of studies, this paper seeks to offer insights into the role of telerehabilitation in overcoming barriers to access, improving patient engagement, and enhancing the overall quality of care for individuals with COPD.

## The Significance of Telerehabilitation in COPD Management

Traditional rehabilitation methods for patients with COPD have encountered numerous challenges and limitations.<sup>10-11,16</sup> These challenges include barriers to accessing healthcare facilities, geographical limitations, and difficulties in sustaining long-term engagement.<sup>17-19</sup> As the burden of COPD continues to rise, there is a pressing need to explore innovative approaches that can address these limitations and expand management options.<sup>14,20-21</sup> The emergence of telerehabilitation as a novel approach in tertiary care has garnered attention as a potential solution to the shortcomings of traditional methods.<sup>5,22-23</sup> Telerehabilitation leverages advanced telehealth technology to bridge the gap between patients and healthcare providers, offering a remote means of delivering exercise therapy, monitoring, education, and support.<sup>10,15,24</sup> This approach

holds promise in providing COPD patients with accessible and personalized interventions without the constraints of physical proximity.<sup>6,25-26</sup>

One of the key advantages of telerehabilitation is its potential to improve exercise capacity, functional dyspnea, and overall quality of life.<sup>10,21,23</sup> This is particularly significant for patients with COPD who face limitations in physical activity due to their condition.<sup>7,27-28</sup> Telerehabilitation offers a way to engage patients in exercises tailored to their needs, gradually increasing their capacity while minimizing the risk of exacerbations.<sup>9,26,29</sup> The underrecognition of telerehabilitation in tertiary care settings has hindered its widespread adoption.<sup>3,8,30</sup> However, evidence from systematic reviews and clinical trials highlights the potential benefits of telerehabilitation for COPD patients.<sup>21,31-32</sup> Telerehabilitation has demonstrated its effectiveness in improving exercise tolerance, patient-reported outcomes, and quality of life.<sup>6,11,26</sup> It also presents a cost-effective alternative to traditional outpatient rehabilitation.<sup>11,29,33</sup>

The inclusion of telerehabilitation as part of COPD management requires careful consideration of several factors. Ensuring patient engagement, addressing technological literacy challenges, and safeguarding data security are crucial for successful implementation.<sup>14,34-35</sup> Moreover, the development of user-centered platforms tailored to the preferences and needs of patients can enhance compliance and empower individuals to actively participate in their own rehabilitation.<sup>14,36-37</sup> While the benefits of telerehabilitation for COPD patients are evident, further research is needed to define essential elements and features of this approach.<sup>22,25,30</sup> Long-term maintenance and patient outcomes also warrant more investigation.<sup>3,22,32</sup> Future studies should focus on refining telemedicine strategies,

overcoming barriers related to digital literacy, and establishing standardized protocols for evaluating telerehabilitation interventions.<sup>5,38-39</sup>

The challenges and limitations of traditional rehabilitation methods for COPD patients have underscored the need for innovative approaches in tertiary care. Telerehabilitation has emerged as a promising solution, offering the potential to expand management options, improve exercise capacity, and enhance quality of life. While hurdles to its widespread adoption remain, the evidence supports its efficacy and cost-effectiveness. As the field of telerehabilitation continues to evolve, efforts should be directed toward refining strategies, addressing barriers, and empowering patients with chronic respiratory diseases to achieve improved outcomes.

## **Telerehabilitation in Tertiary Care: Concept and Implementation**

Telerehabilitation is an innovative approach to healthcare delivery that has garnered significant attention in recent years. It represents a paradigm shift from traditional rehabilitation methods by leveraging technology to remotely provide rehabilitation services to patients, particularly those with COPD within tertiary care settings. This article explores the fundamental aspects of telerehabilitation in tertiary care, shedding light on its distinctive components, technological prerequisites, and potential implications for COPD management.

### **1. Defining Telerehabilitation and its Distinction from Traditional Rehabilitation**

Telerehabilitation, often referred to as tele-rehabilitation or TR, is a novel healthcare model that employs telecommunication and digital technologies to provide rehabilitation services to patients at a distance. Unlike traditional rehabilitation, where

patients physically attend rehabilitation centers, telerehabilitation enables patients to engage in exercise interventions, monitoring, education, and support from the comfort of their own homes.<sup>3</sup> This flexibility not only enhances patient convenience but also addresses challenges associated with transportation barriers and accessibility to healthcare facilities.

## **2. Key Components of Telerehabilitation in COPD Management**

Telerehabilitation programs designed for COPD patients encompass several essential components that collectively contribute to comprehensive care and improved patient outcomes. Exercise interventions form a cornerstone of these programs, focusing on enhancing exercise capacity and physical functioning.<sup>10</sup> Monitoring tools, often integrated with wearable devices, enable remote tracking of patients' vital signs, oxygen saturation, and activity levels.<sup>15</sup> These measures ensure personalized care and early detection of any deterioration. Furthermore, education plays a pivotal role in empowering patients with knowledge about COPD management, proper inhaler techniques, and lifestyle modifications.<sup>32</sup> Patient support, facilitated through virtual interactions with healthcare professionals, fosters engagement, adherence, and motivation.<sup>23</sup> The combination of these elements creates a holistic approach to COPD management, addressing both physical and educational aspects.

## **3. Technological Infrastructure and Implementation in Tertiary Care**

The successful implementation of telerehabilitation within tertiary care settings hinges upon a robust technological infrastructure. High-speed internet connectivity, secure platforms for data transmission, and user-friendly interfaces are foundational to enabling seamless virtual interactions.<sup>13</sup> Importantly, telehealth platforms should adhere to privacy regulations

and ensure the confidentiality of patient information.<sup>35</sup> The use of videoconferencing, wearable devices, and mobile applications facilitates real-time interactions between patients and healthcare providers, enabling exercise supervision and personalized feedback.<sup>36</sup> Moreover, tele-rehabilitation platforms integrate data analytics to monitor patients' progress over time, aiding clinicians in tailoring interventions and assessing efficacy.<sup>19</sup>

Telerehabilitation presents a revolutionary approach to COPD management within tertiary care settings, offering patients the opportunity to engage in rehabilitation from their homes. The integration of exercise interventions, monitoring, education, and support through digital platforms holds promise for improving functional capacity, quality of life, and self-efficacy in COPD patients. As technology continues to advance, ensuring the scalability, accessibility, and security of telerehabilitation programs is paramount. Nevertheless, further research is warranted to ascertain the long-term sustainability and efficacy of this approach, as well as to define standardized protocols that optimize patient outcomes.

## **Benefits of Telerehabilitation for COPD Patients**

Telerehabilitation has emerged as a promising and innovative approach to address the complex management needs of patients with COPD within tertiary care settings. This underrecognized method holds significant potential in improving the lives of COPD patients by overcoming barriers to access, enhancing exercise capacity, elevating quality of life, and effectively managing symptoms. Drawing from the evidence and insights gleaned from existing studies.

### **1. Exercise Capacity Enhancement**

The utilization of telerehabilitation has demonstrated a substantial positive impact on the exercise capacity of COPD

patients. Studies consistently show that remote exercise interventions through telerehabilitation lead to significant improvements in functional exercise capacity.<sup>21-22</sup> Regular and tailored exercise programs, conducted remotely under professional supervision, empower patients to engage in progressive exercises that ultimately enhance their physical endurance and functional capacity.<sup>9,39</sup> This improvement in exercise capacity contributes not only to the enhancement of daily activities but also to overall well-being.

## **2. Quality of Life Augmentation**

COPD often imposes a considerable burden on patients' quality of life, affecting their physical, emotional, and social aspects. Telerehabilitation interventions have proven to be effective in ameliorating various domains of quality of life.<sup>6,25</sup> By integrating educational components, psychological support, and exercise routines, telerehabilitation enhances patients' self-efficacy, mental health, and overall perception of their well-being.<sup>7,11</sup> This comprehensive approach underscores the potential for holistic quality of life improvement, fostering patient empowerment and fostering a positive outlook on their condition.

## **3. Symptom Management and Patient Engagement**

Effective symptom management remains a critical goal in COPD management. Telerehabilitation offers a patient-centric solution that equips individuals with the tools to better manage their symptoms and exacerbations.<sup>15,19</sup> By providing continuous monitoring and personalized intervention adjustments, telerehabilitation empowers patients to proactively address symptoms, thereby reducing hospital admissions and improving overall health outcomes.<sup>5,40</sup> Moreover, the remote nature of telerehabilitation fosters patient engagement, encouraging active participation and adherence to treatment plans.<sup>32,41</sup> This patient

engagement not only supports ongoing management but also instills a sense of responsibility and control over their health.

## **4. Addressing Access Barriers in Tertiary Care**

The implementation of telerehabilitation strategically addresses the challenges of access that many COPD patients face within tertiary care settings. Geographical constraints, transportation limitations, and lack of local resources often hinder patients' ability to access traditional rehabilitation services.<sup>24,26</sup> Telerehabilitation circumvents these barriers by enabling patients to engage in rehabilitation programs from the comfort of their homes, thus eliminating the need for physical travel.<sup>12,42</sup> This approach ensures that patients residing in remote or underserved areas can still benefit from specialized care and support.

The benefits of telerehabilitation for COPD patients are substantiated by a wealth of research evidence. From enhancing exercise capacity and augmenting quality of life to effectively managing symptoms and overcoming access barriers, telerehabilitation emerges as a pivotal underrecognized management strategy in tertiary care settings. The amalgamation of personalized exercise regimens, educational components, and ongoing support within a remote framework empowers patients to actively participate in their own care journey. As the healthcare landscape evolves, the integration of telerehabilitation into COPD management holds the promise of revolutionizing patient outcomes and providing a new standard of care that is patient-centered, accessible, and impactful.

## **Challenges and Considerations**

Telerehabilitation has emerged as a promising approach to address the rehabilitation needs of COPD patients in tertiary care settings. This innovative method offers the potential to overcome geographical

barriers and provide tailored rehabilitation programs.<sup>14,21</sup> However, as with any transformative healthcare approach, several challenges and considerations must be carefully addressed to ensure its effective implementation.<sup>6,20</sup>

### **1. Patient Engagement and Adherence**

A significant challenge in telerehabilitation is maintaining consistent patient engagement and adherence to the program.<sup>14,15</sup> COPD patients often require ongoing motivation and support to adhere to their rehabilitation routines.<sup>19,36</sup> In remote settings, without direct supervision, patients may experience decreased motivation to participate, leading to reduced adherence rates.<sup>20,38</sup> It is crucial to develop strategies that foster patient commitment and active involvement, such as personalized goal setting, regular check-ins, and motivational support.<sup>7,37</sup>

### **2. Technological Literacy and Accessibility**

Another concern lies in the varying levels of technological literacy among COPD patients.<sup>31,43</sup> Not all individuals may possess the skills to effectively navigate and utilize the telerehabilitation platforms.<sup>5,24</sup> Moreover, the availability of appropriate devices and reliable internet connections can be limiting factors for some patients.<sup>4,29</sup> Addressing these challenges requires user-friendly interfaces, clear instructions, and support for patients who require assistance.<sup>8,32</sup>

### **3. Data Security and Privacy**

Data security is a paramount concern in the implementation of telerehabilitation, especially when dealing with sensitive patient health information.<sup>3,44</sup> Ensuring the confidentiality and protection of patient data is crucial to building trust in the system.<sup>40,41</sup> Robust security measures, including encrypted communication channels and compliance with data protection regulations, are imperative to safeguard patient information.<sup>12,30</sup>

### **4. Tailoring Programs to Individual Needs**

COPD patients exhibit diverse needs and levels of severity.<sup>10,18</sup> Tailoring telerehabilitation programs to individual patients' conditions is essential for achieving optimal outcomes.<sup>13,25</sup> This customization requires a comprehensive assessment of each patient's capabilities, limitations, and goals.<sup>34,39</sup> Healthcare providers must carefully design interventions that address the unique challenges faced by each patient to ensure that the program remains effective and relevant.<sup>26-27</sup>

### **5. Healthcare Professional Training and Support**

The successful implementation of telerehabilitation requires well-trained healthcare professionals who can guide patients through the program.<sup>9,35</sup> Healthcare providers need to be proficient in using the technology and in providing remote support to patients.<sup>28,32</sup> Adequate training and continuous professional development programs are necessary to equip clinicians with the necessary skills to effectively engage patients in a virtual environment.<sup>45-46</sup>

While telerehabilitation holds great potential for addressing the rehabilitation needs of COPD patients in tertiary care settings, it is not without its challenges. Patient engagement and adherence, technological literacy, data security, individualized program tailoring, and healthcare professional training are critical aspects that demand careful consideration. Addressing these challenges will be pivotal in ensuring the successful implementation and sustainability of telerehabilitation as an underrecognized management approach for COPD in tertiary care settings. By devising thoughtful strategies to overcome these hurdles, healthcare providers and policymakers can unlock the full potential of telerehabilitation to improve the lives of COPD patients while transforming the landscape of pulmonary rehabilitation.

## **Transforming Tertiary Care with Innovative Management**

Telerehabilitation, an emerging paradigm in healthcare, has demonstrated remarkable potential in revolutionizing the management of COPD within tertiary care settings. This paper examines the under-recognized role of telerehabilitation as an innovative management strategy for COPD patients and presents compelling case studies and success stories that underscore its effectiveness in delivering comprehensive care.

### **1. Real-World Examples of Telerehabilitation Programs**

In recent years, several telerehabilitation programs tailored to COPD patients have been implemented in tertiary care settings, yielding promising outcomes. One such example is the “C😊PD-Life” program, a 26-week interdisciplinary telerehabilitation intervention that transcends traditional barriers and fosters coordination between hospital and municipality healthcare services. Through this program, COPD patients have reported improved illness mastery, enhanced physical and social activity, and personalized support for their unique challenges.<sup>26</sup> This exemplifies how telerehabilitation can transcend geographical constraints and provide patients with a tailored, patient-centered approach.

### **2. Patient Experiences and Testimonials**

Patient experiences within telerehabilitation programs have been overwhelmingly positive, highlighting its tangible impact on COPD management. Testimonials reveal that patients not only appreciate the convenience and ease of using telerehabilitation platforms but also report improvements in exercise capacity, quality of life, and symptom management. Patients participating in telerehabilitation programs have expressed a newfound sense of empowerment and engagement in their own healthcare journey.<sup>7</sup>

The patient-centric nature of telerehabilitation fosters a deeper connection between patients and healthcare providers, ultimately promoting a more holistic approach to COPD management.

### **3. Positive Outcomes and Improvements**

Telerehabilitation’s success is reflected in measurable improvements observed across various dimensions. Studies have reported enhanced exercise capacity, functional dyspnea, quality of life, and mental health among COPD patients participating in telerehabilitation.<sup>6,10-11</sup> Additionally, the potential to reduce hospital readmissions and maintain clinical improvements over time further underscores its significance.<sup>47</sup> Notably, telerehabilitation’s benefits extend beyond the physical realm, positively influencing patients’ mental well-being and overall quality of life.<sup>11</sup>

Telerehabilitation’s transformative potential in COPD management within tertiary care settings cannot be understated. The convergence of patient-centeredness, interdisciplinary collaboration, and advanced technology marks a pivotal shift towards providing comprehensive care for COPD patients. Through compelling case studies and success stories, this paper has shed light on the tangible impact of telerehabilitation in empowering patients, improving outcomes, and enhancing the overall quality of COPD management. As we navigate the dynamic landscape of healthcare, telerehabilitation emerges as a beacon of innovation, redefining the boundaries of tertiary care and placing patients at the heart of their healthcare journey.

### **Future Directions and Recommendations**

An Underrecognized Management in Tertiary Care has shed light on the transformative potential of telerehabilitation in revolutionizing the care landscape for individuals battling COPD. As we navigate

the evolving healthcare landscape, it is essential to outline the future directions and recommendations that can shape the integration and optimization of telerehabilitation within tertiary care settings. This concluding article delves into the promises, recommendations, and areas for further exploration in this groundbreaking field.

### **1. Expanding Telerehabilitation in Tertiary Care and Integrated Care Models**

The future of COPD management within tertiary care hinges on embracing telerehabilitation as an integral component. It is imperative to recognize the capacity of telerehabilitation to transcend physical limitations, thereby providing equitable access to specialized care.<sup>7,25,43</sup> As we extend our horizons, envisaging the expansion of telerehabilitation, healthcare systems must embrace its potential to bridge geographical gaps and overcome barriers to conventional rehabilitation.<sup>5,11</sup> Telerehabilitation can form a critical thread within integrated care models, establishing seamless connectivity between primary care providers, specialists, and patients.<sup>15,28</sup>

### **2. Recommendations for Stakeholders**

For healthcare providers, adopting telerehabilitation necessitates a shift in mindset towards patient-centric care.<sup>24,29</sup> Effective implementation demands the integration of technology with clinical expertise.<sup>39</sup> In this light, training programs must equip healthcare professionals with the skills to navigate the digital realm while maintaining a robust patient-provider relationship.<sup>29,35</sup> Policy makers hold the pivotal responsibility of fostering an environment conducive to the widespread adoption of telerehabilitation.<sup>18,23</sup> Policies should ensure reimbursement mechanisms for virtual care services, paving the way for sustainable implementation.<sup>18,25</sup> Moreover, researchers must continue to generate evidence that underscores the clinical effectiveness, cost-efficiency, and patient

satisfaction associated with telerehabilitation.<sup>4,25,39</sup>

### **3. Future Research and Improvements in Telerehabilitation Approaches**

While the strides taken in the realm of telerehabilitation are commendable, there remain avenues for further exploration and refinement.<sup>9,29</sup> Research endeavors should delve deeper into the customization of interventions, tailoring telerehabilitation to individual patient needs.<sup>4,44</sup> The development of advanced telehealth technologies should be pursued, enhancing the interactive capabilities of telerehabilitation platforms.<sup>10,21</sup> Additionally, the incorporation of patient-generated data and wearable technology can empower individuals to actively participate in their rehabilitation journey.<sup>35</sup> This also beckons research into predictive algorithms that can anticipate exacerbations and optimize interventions.<sup>9,28</sup>

The evolution of COPD management through telerehabilitation within tertiary care settings holds profound implications for healthcare. As we embark on this transformative journey, the path ahead involves expanding telerehabilitation, weaving it into integrated care models, and empowering stakeholders with the necessary tools and knowledge to drive its success. The future beckons us to continue our pursuit of excellence, driving forward research, and innovation to unlock the full potential of telerehabilitation for the benefit of COPD patients within tertiary care.

### **Conclusion**

In this comprehensive exploration of telerehabilitation for COPD patients within tertiary care settings, several critical insights have emerged. The synthesis of evidence from a range of studies underscores the significance of recognizing telerehabilitation as a valuable and underrecognized management approach for COPD patients, specifically in tertiary care contexts.

Summarizing the key points, it is evident that telerehabilitation offers a transformative paradigm in COPD management. The diverse array of articles examined in this study collectively demonstrate the potential benefits of telerehabilitation, from improving exercise capacity and quality of life, enhancing patient engagement and adherence, to its equivalence with traditional pulmonary rehabilitation. Importantly, these findings emphasize its applicability not only in standard COPD scenarios but also in the context of post-COVID-19 recovery. It is clear from the literature that while conventional rehabilitation methods have proven efficacy, the implementation of telerehabilitation provides a novel avenue to address barriers such as limited access and geographical constraints. This aligns with the overarching aim of tertiary care – to deliver advanced and comprehensive solutions tailored to individual patient needs. The convergence of telehealth technology and rehabilitation strategies showcases the potential to enhance patient-centered care, bridging the gap between healthcare professionals and individuals with COPD. In the light of the global health challenges and advancements in telemedicine, recognizing the underrecognized role of telerehabilitation in tertiary care becomes crucial. As healthcare systems adapt to the evolving landscape, integrating telerehabilitation in COPD management may help alleviate the strain on healthcare resources. By harnessing the power of technology, healthcare providers can empower patients, facilitate self-management, and ensure continuity of care.

In conclusion, this review underscores the pivotal role of telerehabilitation as an underrecognized yet transformative management approach for COPD patients within tertiary care. Acknowledging and embracing this innovative strategy could herald a paradigm shift in how we approach COPD management, ultimately leading to

enhanced patient outcomes and improved quality of life. The journey towards comprehensive and patient-centered COPD care continues, and telerehabilitation stands poised to be a cornerstone in this endeavor.

## References

1. Agarwal AK, Raja A, Brown BD. Chronic Obstructive Pulmonary Disease. In: StatPearls. Treasure Island (FL): StatPearls Publishing; August 7, 2023.
2. Cox NS, Dal Corso S, Hansen H, et al. Telerehabilitation for chronic respiratory disease. *Cochrane Database Syst Rev.* 2021; 1 (1): CD013040.
3. Bairapareddy KC, Chandrasekaran B, Agarwal U. Telerehabilitation for Chronic Obstructive Pulmonary Disease Patients: An Underrecognized Management in Tertiary Care. *Indian J Palliat Care.* 2018; 24 (4): 529-33.
4. Hansen H, Torre A, Kallemose T, Ulrik CS, Godtfredsen NS. Pulmonary telerehabilitation vs. conventional pulmonary rehabilitation - a secondary responder analysis. *Thorax.* 2023; thorax-2023-220065.
5. Fekete M, Fazekas-Pongor V, Balazs P, Tarantini S, Nemeth AN, Varga JT. Role of new digital technologies and telemedicine in pulmonary rehabilitation: Smart devices in the treatment of chronic respiratory diseases. *Wien Klin Wochenschr.* 2021; 133 (21-22):1201-7.
6. Cerdán-de-Las-Heras J, Balbino F, Løkke A, Catalán-Matamoros D, Hilberg O, Bendstrup E. Effect of a New Telerehabilitation Program versus Standard Rehabilitation in Patients with Chronic Obstructive Pulmonary Disease. *J Clin Med.* 2021; 11 (1):11.
7. Gabriel AS, Parvanova I, Finkelstein J. Patient Perspectives on Long-Term Use of a Pulmonary Telerehabilitation Platform: A Qualitative Analysis. *Stud*

- Health Technol Inform. 2023; 302: 982-6.
8. Cox NS, Dal Corso S, Hansen H, et al. Telerehabilitation for chronic respiratory disease. *Cochrane Database Syst Rev.* 2021; 1(1): CD013040.
  9. Satar S, Şahin ME, Karamanlı H, Demir N, Ergün P. Tele-pulmonary rehabilitation with face to face in COVID-19 pandemic: A hybrid modeling. COVID-19 pandemicinde tele-pulmoner rehabilitasyon; yüz yüze ile hibrit model. *Tuberk Toraks.* 2023; 71(1): 58-66.
  10. Bonnevie T, Smondack P, Elkins M, et al. Advanced telehealth technology improves home-based exercise therapy for people with stable chronic obstructive pulmonary disease: a systematic review. *J Physiother.* 2021; 67 (1): 27-40.
  11. Vinolo-Gil MJ, Herrera-Sánchez C, Martín-Vega FJ, Martín-Valero R, Gonzalez-Medina G, Pérez-Cabezas V. *An Sist Sanit Navar.* 2022; 45 (2): e0999.
  12. Galdiz JB, Gómez A, Rodriguez D, et al. Telerehabilitation Programme as a Maintenance Strategy for COPD Patients: A 12-Month Randomized Clinical Trial. *Arch Bronconeumol (Engl Ed).* 2021; 57 (3):195-204.
  13. Santos CD, Rodrigues F, Caneiras C, Bárbara C. From Inception to Implementation: Strategies for Setting up Pulmonary Telerehabilitation. *Front Rehabil Sci.* 2022; 3: 830115.
  14. Cerdán de Las Heras J, Tulppo M, Kiviniemi AM, et al. Augmented reality glasses as a new Telerehabilitation tool for home use: patients' perception and expectations. *Disabil Rehabil Assist Technol.* 2022; 17 (4): 480-6.
  15. Sanchez-Ramirez DC, Pol M, Loewen H, Choukou MA. Effect of telemonitoring and telerehabilitation on physical activity, exercise capacity, health-related quality of life and healthcare use in patients with chronic lung diseases or COVID-19: A scoping review. *J Telemed Telecare* 2022;1357633X 221122124.
  16. Godtfredsen N, Frølich A, Bieler T, et al. 12-months follow-up of pulmonary Telerehabilitation versus standard pulmonary rehabilitation: A multicentre randomised clinical trial in patients with severe COPD. *Respir Med.* 2020; 172: 106129.
  17. Jørgensen BB, Gregersen M, Pallesen SH, Damsgaard EM. A group-based real-time videoconferencing telerehabilitation programme in recently discharged geriatric patients: a feasibility study. *Eur Geriatr Med.* 2021; 12 (4): 801-8.
  18. Madawala S, Quach A, Lim JY, et al. Healthcare experience of adults with COPD during the COVID-19 pandemic: a rapid review of international literature. *BMJ Open Respir Res.* 2023; 10 (1): e001514.
  19. Zhang L, Maitinuer A, Lian Z, et al. Home based pulmonary Telerehabilitation under telemedicine system for COPD: a cohort study. *BMC Pulm Med.* 2022; 22 (1): 284.
  20. Velayati F, Ayatollahi H, Hemmat M. A Systematic Review of the Effectiveness of Telerehabilitation Interventions for Therapeutic Purposes in the Elderly. *Methods Inf Med.* 2020; 59 (2-03):104-9.
  21. Ora J, Prendi E, Attinà ML, Cazzola M, Calzetta L, Rogliani P. Efficacy of respiratory Telerehabilitation in COPD patients: Systematic review and meta-analysis. *Monaldi Arch Chest Dis.* 2022; 92 (4):10.4081/monaldi.2022.2105.
  22. Isernia S, Pagliari C, Bianchi LNC, et al. Characteristics, Components, and Efficacy of Telerehabilitation Approaches for People with Chronic

- Obstructive Pulmonary Disease: A Systematic Review and Meta-Analysis. *Int J Environ Res Public Health*. 2022; 19 (22):15165.
23. Zanaboni P, Dinesen B, Hoaas H, et al. Long-term Telerehabilitation or Unsupervised Training at Home for Patients with Chronic Obstructive Pulmonary Disease: A Randomized Controlled Trial. *Am J Respir Crit Care Med*. 2023; 207 (7): 865-75.
  24. Tsutsui M, Gerayeli F, Sin DD. Pulmonary Rehabilitation in a Post-COVID-19 World: Telerehabilitation as a New Standard in Patients with COPD. *Int J Chron Obstruct Pulmon Dis*. 2021; 16: 379-91.
  25. Uche-Okoye D, Ajemba MN, Amy B, et al. Is telerehabilitation an effective maintenance strategy for patients with chronic obstructive pulmonary diseases: a systematic review. *Bull Natl Res Cent*. 2023; 47 (1): 13.
  26. Simoný C, Andersen IC, Bodtger U, Nyberg M, Birkelund R. Raised illness mastering - a phenomenological hermeneutic study of chronic obstructive pulmonary disease patients' experiences while participating in a long-term telerehabilitation programme. *Disabil Rehabil Assist Technol*. 2022; 17 (5): 594-601.
  27. Simoný C, Riber C, Bodtger U, Birkelund R. Striving for Confidence and Satisfaction in Everyday Life with Chronic Obstructive Pulmonary Disease: Rationale and Content of the Tele-Rehabilitation Programme >C©PD-Life>>. *Int J Environ Res Public Health*. 2019; 16 (18): 3320.
  28. Barbosa MT, Sousa CS, Morais-Almeida M, Simões MJ, Mendes P. Telemedicine in COPD: An Overview by Topics. *COPD*. 2020; 17 (5): 601-17.
  29. Simoný C, Neerup Andersen M, Hansen RG, et al. Shaping Better Rehabilitation to Chronic Obstructive Pulmonary Disease Patients: Experiences of Nurses and Colleagues With an Interdisciplinary Telerehabilitation Intervention. *Glob Qual Nurs Res*. 2022; 9:23333936221109890.
  30. Cox NS, Khor YH. Telerehabilitation in pulmonary diseases. *Curr Opin Pulm Med*. 2023; 29 (4): 313-21.
  31. Malik S, Dua R, Krishnan AS, et al. Exercise Capacity in Patients With Chronic Obstructive Pulmonary Disease Treated With Tele-Yoga Versus Tele-Pulmonary Rehabilitation: A Pilot Validation Study. *Cureus*. 2022; 14 (11): e30994.
  32. Reychler G, Piraux E, Beaumont M, Caty G, Liistro G. Telerehabilitation as a Form of Pulmonary Rehabilitation in Chronic Lung Disease: A Systematic Review. *Healthcare (Basel)*. 2022; 10 (9): 1795.
  33. Taito S, Yamauchi K, Kataoka Y. Telerehabilitation in Subjects with Respiratory Disease: A Scoping Review. *Respir Care*. 2021; 66 (4): 686-98.
  34. Rochester CL, Alison JA, Carlin B, et al. Pulmonary Rehabilitation for Adults with Chronic Respiratory Disease: An Official American Thoracic Society Clinical Practice Guideline. *Am J Respir Crit Care Med*. 2023; 208 (4): e7-e26.
  35. Rossetto F, Borgnis F, Isernia S, et al. System Integrated Digital Empowering and telerehabilitation to promote patient activation and well-being in chronic disabilities: A usability and acceptability study. *Front Public Health*. 2023; 11: 1154481.
  36. Skibdal KM, Emme C, Hansen H. Listen to Me! - A Mixed-Methods Study of Thoughts and Attitudes Towards Participation in Pulmonary Telerehabilitation Among People with Severe and Very Severe COPD

- Who Declined Participation in Pulmonary Rehabilitation. *Patient Prefer Adherence*. 2022; 16: 2781-98.
37. Cox NS, Lee JYT, McDonald CF, et al. Perceived Autonomy Support in Telerehabilitation by People with Chronic Respiratory Disease: A Mixed Methods Study. *Chest*. 2023; 163 (6): 1410-24.
38. Alqahtani JS, Alghamdi SM, Aldhahir AM, Althobiani M, Oyelade T. Key toolkits of non-pharmacological management in COPD: during and beyond COVID-19. *Front Biosci (Landmark Ed)*. 2021; 26 (7): 246-52.
39. Rutkowski S. Management Challenges in Chronic Obstructive Pulmonary Disease in the COVID-19 Pandemic: Telehealth and Virtual Reality. *J Clin Med*. 2021; 10 (6): 1261.
40. Cox NS, McDonald CF, Mahal A, et al. Telerehabilitation for chronic respiratory disease: a randomised controlled equivalence trial. *Thorax*. 2022; 77 (7): 643-51.
41. Wickerson L, Helm D, Gottesman C, et al. Telerehabilitation for Lung Transplant Candidates and Recipients during the COVID-19 Pandemic: Program Evaluation. *JMIR Mhealth Uhealth*. 2021; 9 (6): e28708.
42. Morimoto Y, Takahashi T, Sawa R, et al. Web Portals for Patients With Chronic Diseases: Scoping Review of the Functional Features and Theoretical Frameworks of Telerehabilitation Platforms. *J Med Internet Res*. 2022; 24 (1): e27759.
43. Cordani C, Young VM, Arienti C, et al. Cognitive impairment, anxiety and depression: a map of Cochrane evidence relevant to rehabilitation for people with post COVID-19 condition. *Eur J Phys Rehabil Med*. 2022; 58 (6): 880-7.
44. Barbosa MT, Sousa CS, Morais-Almeida M. Telemedicine in the Management of Chronic Obstructive Respiratory Diseases: An Overview. In: Linwood SL, ed. *Digital Health*. Brisbane (AU): Exon Publications; April 29, 2022.
45. Leslie S, Tan J, McRae PJ, O'leary SP, Adsett JA. The Effectiveness of Exercise Interventions Supported by Telerehabilitation For Recently Hospitalized Adult Medical Patients: A Systematic Review. *Int J Telerehabil*. 2021; 13 (2): e6356.
46. Bairapareddy KC, Alaparathi GK, Jitendra RS, et al. "We are so close; yet too far": perceived barriers to smartphone-based telerehabilitation among healthcare providers and patients with Chronic Obstructive Pulmonary Disease in India. *Heliyon*. 2021; 7 (8): e07857.
47. Li Y, Qian H, Yu K, Huang Y. The Long-Term Maintenance Effect of Remote Pulmonary Rehabilitation via Social Media in COPD: A Randomized Controlled Trial. *Int J Chron Obstruct Pulmon Dis*. 2022; 17: 1131-42.